

CM 7750 CoffeeSelect  
Countertop coffee machine  
with CoffeeSelect and AutoDescale for maximum flexibility



- Enjoyment perfected – CoffeeSelect
- Fully automatic descaling – AutoDescale
- Always freshly ground – AromaticSystemFresh
- Two coffees at once at the touch of a button – OneTouch for Two
- Communication with the machine could not be easier – WiFiConn@ct

EAN: 4002516116196 / Material number: 11106260 /  
Old Material Number: 29775020USA

General information	
Model number	CM 7750 CoffeeSelect
Manufacturer material number	11106260
EAN number	4002516116196
Construction type and design	
Countertop bean-to-cup coffee machine	•
Color	Obsidian black
Convenience features	
AromaticSystemFresh	•
CoffeeSelect	•
OneTouch preparation	•
One Touch and OneTouch for Two	•
DoubleShot	•
Programmable User profile	10
Conical grinder to preserve the taste	•
Grinding grade selectable	•
Additional coffee types in ground coffee form possible	•
Ground quantity programmable	•
Water quantity programmable	•
Water temperature programmable	•
Amount of milk can be programmed	•
Amount of milk froth can be programmed	•
Pre-brewing programmable	•
TeaTimer	•
User convenience	
Networking with Miele@home	•
Control panel	CM Touch
CupSensor	•
BrilliantLight	•
Expert mode	•
Heated cup storage area	•
MultiLingua	•
No. of bean types	3
No. of bean containers	3
Bean container capacity, each in oz (g)	150
Capacity of bean container B in g	210
Capacity of bean container C in g	180
Bean container capacity, total in oz (g)	19.05 (540)
Capacity of water container in fl oz (l)	74.39 (2.2)
Milk container capacity in l	0.7
Capacity of waste container in servings	16
Drip tray capacity in fl oz (l)	27.05 (0.8)
Easily accessible containers	•
Time-of-day display	•
Date display	•
Programmable switch-on time	•
Programmable switch-off time	•
Programmable stand-by time	•

CM 7750 CoffeeSelect  
Countertop coffee machine  
with CoffeeSelect and AutoDescale for maximum flexibility



EAN: 4002516116196 / Material number: 11106260 /  
Old Material Number: 29775020USA

Clock battery backup in h	150
<b>Drink specialties</b>	
Adjustable beverage portion size in ml	25-250
Ristretto, single	•
Ristretto, double	•
Espresso, single	•
Espresso, double	•
Coffee, single	•
Coffee, double	•
Long coffee, single	•
Long coffee, double	•
Cappuccino, single	•
Hot milk, single	•
Latte macchiato, double	•
Milk froth, single	•
Milk froth, double	•
Espresso macchiato, single	•
Espresso macchiato, double	•
Cappuccino italiano, single	•
Cappuccino italiano, double	•
Flat white, single	•
Flat white, double	•
Café au lait, single	•
Café au lait, double	•
Caffè latte, single	•
Caffè latte, double	•
Caffè americano, single	•
Long black, single	•
Allwater	•
Hot water, single	•
Black tea, single	•
Herbal tea, single	•
Fruit tea, single	•
Green tea, single	•
Coffee pot	•
Teapot	•
Cappuccino, double	•
Latte macchiato, double	•
Latte macchiato, single	•
<b>Efficiency and sustainability</b>	
Energy-saving Eco mode option	•
Power rating in standby mode in W	<=0.5
Power rating in networked standby in W	<=1.0
Time until automatic switch to off mode in min	20
Time until automatic switch to standby in min	20
Time until automatic switch to networked standby in min	20
Power rating in standby mode in W	<=0.5
Power rating in networked standby in W	<=1.0

CM 7750 CoffeeSelect  
Countertop coffee machine  
with CoffeeSelect and AutoDescale for maximum flexibility



EAN: 4002516116196 / Material number: 11106260 /  
Old Material Number: 29775020USA

Time until automatic switch to standby in min	20
Time until automatic switch to networked standby in min	20
<b>Cleaning convenience</b>	
AutoDescale	•
Automatic rinsing of the milk pipework from the water container	•
Convenient cleaning programs	•
Auto-Off function	•
ComfortClean	•
Removable milk pipework	•
Removable brew unit	•
<b>Safety</b>	
System lock	•
<b>Technical data</b>	
Height-adjustable serving spout in inches (cm)	6 3/8 (16.0)
Height-adjustable serving spout in inches (cm)	3 1/4 (8.0)
Appliance width in in.(mm)	12 1/4 (311)
Appliance height in in.(mm)	16 5/8 (420)
Appliance depth in in.(mm)	17 5/8 (445)
Total connected load in kW	1.45
Voltage in V	120
Fuse rating in A	15
Number of phases	1
Length of electrical wire in ft (m)	3 (1.2)
<b>Standard accessories</b>	
Glass milk container	•
Descaling cartridge	•
Cleaning tablets	•
<b>Available display languages</b>	
Available display languages via MultiLingua	☐☐☐☐☐☐☐☐, ☐☐, ☐☐☐☐☐☐, deutsch, dansk, english, english (AU), english (CA), english (GB), english (US), suomi, français, français (CA), français (FR), ελληνικά, italiano, ☐☐☐, ☐☐☐, hrvatski, bahasa malaysia, nederlands, norsk, polski, portuguese, română, русский, svenska, srpski, slovenčina, slovenščina, español, čeština, türkçe, українська, magyar