



sealed gas burners • power boil™ • continuous grates • merchandising 2004 • gas on glass cooktop • precise simmer • sculptured

# GE Profile™ and GE® Free-Standing Gas Ranges

The Maximum in Cooking Performance and Versatility.

imagination at work





JGB915SEF Shown

## The maximum in cooking performance and versatility.

Precision cooking, flexible features and distinctive design.



### Better performance. Delicious results.

- **Power Boil™ burner** delivers 15,000 BTUs for faster boiling.
- **Precise Simmer burner** uses a low temperature setting of 140°, for better simmering control.
- **Two-speed convection** circulates air through the oven ensuring even baking and roasting results.
- **TrueTemp™ system** provides even heat distribution and maximum oven control.
- **Auto Recipe™ conversion** automatically converts standard recipe temperatures to proper convection settings.



### Elegant looks. Practical convenience.

- **Striking curved appearance** with a **sculptured handle** and **stainless steel finish**.
- **Big ClearView™ window** allows consumers to easily monitor the progress of food inside the oven.
- **True color cooktop** on gas on glass models brings a new elegance to any kitchen.



### Intelligent design. Easy cleaning.

- **Glass touch controls** and **contoured backsplash** add instant appeal with a distinctive curved design.
- **Deep recessed cooktop** models with a bowed design and **sealed burners** help contain spills for easy cleaning.
- **Gas on glass cooktop models with a bowed design** and **sealed burners** feature a one-piece, ceramic glass surface that is smooth and easy-to-clean.
- **Continuous grates** are removable and **dishwasher-safe** for effortless cleaning.



### More choices. More ways to cook.

- **A variety of burner sizes** satisfy every cooktop need— from boiling to simmering.
- **Warming drawer** helps keep foods warm and ready-to-serve.
- **Super-large 5.0 cu. ft. capacity** and **multiple rack positions** allow you to cook more at once.
- **Control lock capability** prevents unintended oven activation.

# Feature gallery – GE Profile.™

The maximum in cooking performance and versatility.



## Glass touch controls

Look great and are easy to clean.



## Deep recessed cooktop

Helps contain spills for easy cleaning.



## Continuous grates

Allow for easy movement of pots and pans between burners.



## Power Boil™ burner

Delivers 15,000 BTUs of forceful heat for rapid boiling.



## New appearance

Elegant contoured shape gives the range sophisticated appeal.



GE Profile model JGB915

## Features common to GE Profile and GE Models



## Warming drawer

Provides variable temperature control for keeping foods warm.




## Precise Simmer burner

Delivers a low setting of 140°, ideal for delicate foods and sauces.

# Feature gallery – GE.®

The maximum in cooking performance and versatility.



GE model JGBP85

## Power Boil burner

Delivers 15,000 BTUs of forceful heat for rapid boiling.

**New GE model feature!**



## GE Deep Recessed Cooktop

Helps contain spills for easy cleaning.

**New GE model feature!**



## Electronic oven controls

Feature an easy to use design that allows consumers to set precise cooking temperatures.



## Continuous grates

Allow for easy movement of pans between burners.



## High output burner

Provides a powerful 11,000 BTU burner output for efficient heat-up and sautéing.



## Big ClearView™ window

An extra large window makes monitoring the progress of food easy.




## Sealed burners

Eliminate the space between the burners and the cooktop ensuring easy cleanup.

# The inside story – GE Profile.™

The maximum in cooking performance and versatility.



## Two-speed convection oven

Circulates air throughout the oven ensuring even baking and roasting results.



## 5.0 cu. ft. super-large oven capacity

Gives consumers the room they need to cook large meals.



## Auto Recipe™ conversion

Automatically converts standard recipe temperatures to proper convection settings.



## Oven meat probe

Displays the internal temperature and signals when meats are cooked to perfection.



## Featured on GE Profile and GE Models



## TrueTemp™ system

Provides even heat distribution and maximum oven control.



## Six embossed rack positions

Allows consumers to take full advantage of the oven capacity and adjust racks for oversized cookware.

# The inside story – GE.®

The maximum in cooking performance and versatility.



## Extra-large 4.8 cu. ft. capacity

Gives consumers the room they need to cook large meals.



## In-oven broiling

Features a low and high setting for broiling foods inside the oven.



## Two oven racks

Feature a durable construction to help accommodate any size or type of cookware.



## Self-clean oven

Conveniently cleans the oven without the need for scrubbing.



## Certified Sabbath mode

Allows consumers to keep cooked foods warm on the Jewish Sabbath and Jewish holidays.

## Interior oven light

Makes viewing the progress of cooking easy and convenient.



## Show and tell.

### GE Profile™ free-standing gas ranges



#### Precise Simmer burner demo\*

- Have a qualified technician convert the range to LP and adjust the flame size according to installation instructions.
- Place a few squares of Baker's Semisweet chocolate in a thick-bottomed pan. Ignite the Precise Simmer burner and turn the flame down to the lowest setting.
- Stir periodically. After approximately 7 minutes the chocolate will be melted. Test the results by dipping a cookie for your customers.
- Explain that the low 140° temperature is ideal for melting chocolate or butter and simmering delicate sauces.



#### Continuous grates demo

- Using a large stock pot or a heavy cast-iron skillet, demonstrate how easy it is to slide the pot or pan from one burner to another.
- Explain that the connected grate design eliminates the need to lift and carry heavy pots and pans between burners.

*\*Only use models JGB900, JGB905, JGB915 and JGB920 "F". Do not attempt on any other range model.*



### Sales demo mode

- Plug the range into any standard 120 volt outlet.
- Remove all tape, plastic and paper from inside the oven (just in case the oven control is left on bake or broil which can activate the glowbar igniter).
- Press and hold both the BAKE and BROIL pads at the same time, hold until SF appears in the display.
- Then, at the same time, touch the CLOCK and KITCHEN TIMER pads.
- The control will then continuously scroll through each oven function.
- To end the sales display mode touch the START pad.

### With the range plugged in, the following can be demonstrated:

Oven Light & the Big ClearView™ Window

Digital time and temperature displays

Hi/Lo broil settings

Variable self clean time

Automatic self clean door latch

Convection bake control setting fan operates

Convection roast control setting fan operates

Reminder timer

## Free-standing gas ranges.

The maximum in cooking performance and versatility.

### All Models Include:

- The most dependable ranges you can buy! ■ New appearance ■ Super-large self-clean oven ■ TrueTemp™ system
- Electronic clock and timer ■ Big ClearView™ window ■ Sealed burners ■ Six embossed rack positions
- Extra-large broiler pan with grid ■ Certified Sabbath mode ■ Audible preheat signal ■ Electronic ignition



### GE Profile™ 30" free-standing gas range JGB920

- Convection bake/roast
- **Gas on glass cooktop**
- Sealed cooktop burners
- Power Boil™ burner
- High Output burner
- Precise Simmer burner
- Removable continuous grates
- QuickSet VI glass touch controls
- Three heavy-duty oven racks
- Warming drawer
- Auto Recipe™ conversion
- Oven meat probe



### GE Profile 30" free-standing gas range JGB915

- **Convection bake/roast**
- Deep recessed porcelain cooktop
- Sealed cooktop burners
- Power Boil burner
- High Output burner
- Precise Simmer burner
- Removable continuous grates
- **QuickSet VI glass touch controls**
- **Three heavy-duty oven racks**
- Warming drawer
- **Auto Recipe conversion**
- **Oven meat probe**



### GE Profile 30" free-standing gas range JGB900

- Deep recessed porcelain cooktop
- Sealed cooktop burners
- Power Boil burner
- High Output burner
- Precise Simmer burner
- Removable continuous grates
- QuickSet V Controls
- Two heavy-duty oven racks

### JGB905

- Same features as JGB900 plus warming drawer



**GE®**  
**30" free-standing gas range**  
**JGBP85**

- Deep recessed cooktop
- Power Boil burner
- High-output burner
- Precise Simmer burner
- Removable continuous grates
- **QuickSet V controls**
- **Warming drawer**



**GE**  
**30" free-standing gas range**  
**JGBP35**

- **Deep recessed cooktop**
- **Power Boil burner**
- Precise Simmer burner
- Medium cast grates
- QuickSet IV controls
- Two oven racks



**GE**  
**30" free-standing gas range**  
**JGBP33**

- High-output burner
- Precise Simmer burner
- Medium cast grates
- QuickSet IV controls
- Three oven racks

# 30" Self-Clean Gas Ranges

	GE Profile™					GE®	
	Sealed Burner Models				Dual-Fuel Model	Sealed Burner Models	
	JGB920SEF JGB920TEF JGB920KEF JGB920BEF	JGB915SEF JGB915WEF JGB915CEF JGB915BEF	JGB905SEF JGB905WEF JGB905CEF JGB905BEF	JGB900SEF JGB900WEF JGB900CEF JGB900BEF	J2B915SEH J2B915WEH J2B915CEH J2B915BEH	JGBP90MEH	JGBP85SEJ JGBP85WEJ JGBP85CEJ JGBP85BEJ
<b>Capacity</b>							
Oven capacity	Super-Large 5.0 cu. ft.	Super-Large 5.0 cu. ft.	Super-Large 5.0 cu. ft.	Super-Large 5.0 cu. ft.	Super-Large 5.0 cu. ft.	Extra-Large 4.8 cu. ft.	Extra-Large 4.8 cu. ft.
<b>Features</b>							
Oven cleaning	Self-Clean Black True white True bisque Black	Self-Clean	Self-Clean	Self-Clean	Self-Clean	Self-Clean	Self-Clean
Gas on glass ceramic cooktop		●	●	●	●		●
Deep recessed porcelain cooktop		●	●	●	●		●
Cooktop burners	Sealed	Sealed	Sealed	Sealed	Sealed	Sealed	Sealed
Power Boil™ burner (Nat.)	(1) 15,000 BTU/ 180° Simmer	(1) 15,000 BTU/ 180° Simmer	(1) 15,000 BTU/ 180° Simmer	(1) 15,000 BTU/ 180° Simmer	(1) 15,000 BTU/ 180° Simmer		(1) 15,000 BTU/ 180° Simmer
High Output burner (Nat.)	(1) 11,000 BTU/ 150° Simmer	(1) 11,000 BTU/ 150° Simmer	(1) 11,000 BTU/ 150° Simmer	(1) 11,000 BTU/ 150° Simmer	(1) 11,000 BTU/ 150° Simmer	(2) 12,000/ 1,000 BTU	(1) 11,000 BTU/ 150° Simmer
Precise Simmer burner (Nat.)	(1) 5,000 BTU/ 140° Simmer	(1) 5,000 BTU/ 140° Simmer	(1) 5,000 BTU/ 140° Simmer	(1) 5,000 BTU/ 140° Simmer	(1) 5,000 BTU/ 140° Simmer	(1) 5,000/600 BTU	(1) 5,000 BTU/ 140° Simmer
All-purpose burners (Nat.)	(1) 9,100 BTU/ 150° Simmer	(1) 9,100 BTU/ 150° Simmer	(1) 9,100 BTU/ 150° Simmer	(1) 9,100 BTU/ 150° Simmer	(1) 9,100 BTU/ 150° Simmer	(1) 9,500/850 BTU	(1) 9,100 BTU/ 150° Simmer
Valves (degree of turn)	270	270	270	270	270	270	270
TrueTemp™ system	●	●	●	●	●	●	●
Electronic controls	●	●	●	●	●	●	●
Convection bake/roast	●	●	●	●	Electric	●	●
QuickSet oven controls	QuickSet VI glass touch†	QuickSet VI glass touch†	QuickSet V	QuickSet V	QuickSet VI glass touch†	QuickSet V	QuickSet V
Auto Self-Clean	●	●	●	●	●	●	●
Electronic oven control	●	●	●	●	●	●	●
Hi/Low broil	●	●	●	●	●	●	●
Electronic clock and timer	●	●	●	●	●	●	●
Automatic oven timer	●	●	●	●	●	●	●
Audible preheat signal	●	●	●	●	●	●	●
Oven meat probe	●	●	●	●	●	●	●
Auto oven shut-off	●	●	●	●	●	●	●
Certified Sabbath mode	●	●	●	●	●	●	●
Auto Recipe™ conversion	●	●	●	●	●	●	●
Control lock capability	●	●	●	●	●	●	●
One-piece upswept cooktop	Porc.-Enam.	Porc.-Enam.	Porc.-Enam.	Porc.-Enam.	Porc.-Enam.	Porc.-Enam.	Porc.-Enam.
Porcelain-enamelled one-piece drip pans						Black	
Removable grates	Matte Black Hvy.-Cast Grey Hvy.-Cast Taupe Hvy.-Cast Black Hvy.-Cast	Matte Black Hvy.-Cast Grey Hvy.-Cast Taupe Hvy.-Cast Black Hvy.-Cast	Matte Black Hvy.-Cast Grey Hvy.-Cast Taupe Hvy.-Cast Black Hvy.-Cast	Matte Black Hvy.-Cast Grey Hvy.-Cast Taupe Hvy.-Cast Black Hvy.-Cast	Matte Black Hvy.-Cast Grey Hvy.-Cast Taupe Hvy.-Cast Black Hvy.-Cast	Matte Black Hvy.-Cast	Matte Black Hvy.-Cast Grey Hvy.-Cast Taupe Hvy.-Cast Black Hvy.-Cast
Continuous grates	Dishwasher-safe	Dishwasher-safe	Dishwasher-safe	Dishwasher-safe	Dishwasher-safe	●	Dishwasher-safe
Ignition system	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic
Oven racks	3	3	2	2	3	2	2
Six embossed rack positions	●	●	●	●	●	●	●
Broiler pan	●	●	●	●	●	●	●
Scratch-resistant backguard	Stainless steel Glass	Stainless steel Glass	Stainless steel Porc.-Enam.	Stainless steel Porc.-Enam.	Stainless steel Glass	Soft Stainless	Stainless steel Porc.-Enam.
Interior oven light	●	●	●	●	●	●	●
Warming drawer	450 Watt	450 Watt	450 Watt	450 Watt	450 Watt	450 Watt	450 Watt
Electronic control	●	●	●	●	Knob	●	●
Temp. settings	(low, med, high)	(low, med, high)	(low, med, high)	(low, med, high)	Infinite	(low, med, high)	(low, med, high)
Stainless steel insert	●	●	●	●	●	●	●
In-oven broiling	●	●	●	●	●	●	●
<b>Appearance</b>							
Color appearance*	SS/WW/CC/BB	SS/WW/CC/BB	SS/WW/CC/BB	SS/WW/CC/BB	SS/WW/CC/BB	BC	SS/WW/CC/BB
Frameless oven door	Stainless steel White Glass Bisque Glass Black Glass	Stainless steel White Glass Bisque Glass Black Glass	Stainless steel White Glass Bisque Glass Black Glass	Stainless steel White Glass Bisque Glass Black Glass	Stainless steel White Glass Bisque Glass Black Glass	Soft Stainless	Stainless steel White Glass Bisque Glass Black Glass
Oven door with window	Big ClearView™	Big ClearView	Big ClearView	Big ClearView	Big ClearView	Big ClearView	Big ClearView
Oven door handle	Sculptured	Sculptured	Sculptured	Sculptured	Sculptured	Professional-Style	Designer-style
<b>Weights &amp; Dimensions</b>							
Overall oven interior dimensions (WxHxD in inches)	24 x 19 x 19	24 x 19 x 19	24 x 19 x 19	24 x 19 x 19	24 x 19 x 19	24 x 18.5 x 19	24 x 18.5 x 19
Approx. shipping weight (lbs.)	250 SS 245 WW/CC/BB	235 SS 230 WW/CC/BB	235 SS 230 WW/CC/BB	220 SS 215 WW/CC/BB	235 SS 230 WW/CC/BB	230	220
<b>Power/Ratings</b>							
Top burners (000's BTU's) Nat/LP	(1) 15.0/11.0 (1) 11.0/9.1 (1) 5.0/5.0 (1) 9.1/9.1	(1) 15.0/11.0 (1) 11.0/9.1 (1) 5.0/5.0 (1) 9.1/9.1	(1) 15.0/11.0 (1) 11.0/9.1 (1) 5.0/5.0 (1) 9.1/9.1	(1) 15.0/11.0 (1) 11.0/9.1 (1) 5.0/5.0 (1) 9.1/9.1	(1) 15.0/11.0 (1) 11.0/9.1 (1) 5.0/5.0 (1) 9.1/9.1	(2) 12.0/11.0 (1) 5.0/5.0 (1) 9.5/9.5	(1) 15.0/11.0 (1) 11.0/10.0 (1) 5.0/5.0 (1) 9.1/9.1
Oven/broiler burners (000's BTU's) Nat/LP	← 16.0/16.0 Oven 13.5/12.0 Broil →					← 16.0/16.0 Oven 12.5/12.0 Broil →	
Dual-fuel range electrical rating					208/240V, 60Hz, 40A		
Gas range electrical rating	← 120V, 60Hz, 9A →			120V, 60Hz, 5A			
LP conversion kit (included)	●	●	●	●	●	●	●

\*SS = Stainless steel with black accents, BC = Soft stainless with black accents, WW = White with white glass door, CC = Bisque with bisque glass door, BB = Black with black glass door.  
Factory set for Natural Gas. A set of LP orifices is included with each range for LP conversion.

† = Stainless steel models feature traditional QuickSet controls.

GE						
	Sealed Burner Models				Standard Burner Models	
	JGBP36SEJ JGBP36WEJ JGBP36CEJ JGBP36BEJ	JGBP35SEJ JGBP35WEJ JGBP35CEJ JGBP35BEJ	JGBP33SEH JGBP33WEH JGBP33CEH JGBP33BEH	JGBP28SEJ JGBP28WEJ JGBP28FEJ JGBP28BEJ	JGBP26WEH JGBP26CEH	JGBP24BEH
<b>Capacity</b>						
Extra-large 4.8 cu. ft. oven	●	●	●	●	●	●
<b>Features</b>						
Oven cleaning	Self-Clean	Self-Clean	Self-Clean	Self-Clean	Self-Clean	Self-Clean
Deep recessed porcelain cooktop	●	●				
Cooktop burners	Sealed	Sealed	Sealed	Sealed	Standard/Twin	Standard/Twin
Power Boil™ burner (Nat.)	(1) 15,000 BTU/ 180° Simmer	(1) 15,000 BTU/ 180° Simmer				
High Output burner (Nat.)	(1) 11,000 BTU/ 150° Simmer		(1) 13,000/ 1,000 BTU			
Precise Simmer burner (Nat.)	(1) 5,000 BTU 140° Simmer	(1) 5,000 BTU 140° Simmer	(1) 5,000/600 BTU			
All-purpose burners (Nat.)	(1) 9,100 BTU/ 150° Simmer	(2) 9,100 BTU/ 150° Simmer	(2) 9,500/850 BTU	(4) 9,500/850 BTU	(4) 9,100/850 BTU	(4) 9,100/850 BTU
Valves (degree of turn)	270	270	270	140	270	270
TrueTemp system	●	●	●	●	●	●
Electronic controls	●	●	●	●	●	●
QuickSet oven controls	QuickSet IV	QuickSet IV	QuickSet IV	QuickSet III	QuickSet IV	QuickSet III
Auto Self-Clean	●	●	●	●	●	●
Electronic oven control	●					
Hi/Low broil	●					
Electronic clock and timer	●	●	●	●	●	●
Automatic oven timer	●	●	●	●	●	●
Audible preheat signal	●	●	●	●	●	●
Auto oven shut-off	●	●	●	●	●	●
Certified Sabbath mode	●	●	●	●	●	●
One-piece upswept cooktop	Porc.-Enam.	Porc.-Enam.	Porc.-Enam.	Porc.-Enam.	Porc.-Enam.	Porc.-Enam.
Lift-up cooktop				●		
Easy-clean subtop					Porc.-Enam.	Porc.-Enam.
Porcelain-enameled one-piece drip pans			Black Grey Taupe Black	Opt. Access.	Chrome Chrome	Opt. Access.
Removable grates	Matte Black Med-Cast Grey Medium-Cast Taupe Medium-Cast Black Medium-Cast	Matte Black Med-Cast Grey Medium-Cast Taupe Medium-Cast Black Medium-Cast	Black Medium-Cast Grey Medium-Cast Taupe Medium-Cast Black Medium-Cast	Black Std. Porc.-Steel Grey Std. Porc.-Steel Black Std. Porc.-Steel Black Std. Porc.-Steel	Grey Std. Porc.-Steel Taupe Std. Porc.-Steel	Black Std. Porc.-Steel
Continuous grates	Dishwasher-safe	Dishwasher-safe				
Square grates			●	●	●	●
Ignition system	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic
Oven racks	3	2	3	2	2	2
Six embossed rack positions	●	●	●	●	●	●
Broiler pan	●	●	●	●	●	●
Scratch-resistant backguard	Porc.-Enam.	Porc.-Enam.	Porc.-Enam.	Porc.-Enam.	Porc.-Enam.	Porc.-Enam.
Interior oven light	●	●	●	●	●	●
Storage drawer	●	●	●	●	●	●
In-oven broiling	●	●	●	●	●	●
<b>Appearance</b>						
Color appearance*	SS WW CC BB	SS WW CC BB	SS WW CC BB	SS WW BB WH/CT	WW CC	WH/CT
Frameless oven door	Stainless steel White Glass Bisque Glass Black Glass	Stainless steel White Glass Bisque Glass Black Glass	Stainless steel White Glass Bisque Glass Black Glass	Stainless steel White Glass Black Glass Black Glass	White Glass Bisque Glass	Solid Black Glass
Oven door with window	Big ClearView	Big ClearView	Big ClearView	Big ClearView	ClearView	
Designer-style handle	●	●	●	●	●	●
<b>Weights &amp; Dimensions</b>						
Overall oven interior dimensions (WxHxD in inches)	← 24 x 18.5 x 19 →					
Approx. shipping weight (lbs.)	210	210	210	210	200	200
<b>Power/Ratings</b>						
Top burners (000's BTU's) Nat/LP	(1) 15.0/11.0 (1) 11.0/10.0 (1) 5.0/5.0 (1) 9.1/9.1	(1) 15.0/11.0 (1) 5.0/5.0 (2) 9.1/9.1	(1) 13.0/11.0 (1) 5.0/5.0 (2) 9.5/9.5	(4) 9.5/9.5	(4) 9.1/8.0	(4) 9.1/8.0
Oven/broiler burners (000's BTU's) Nat/LP	← 16.0/16.0 Oven 12.5/12.0 Broil →					
Gas range electrical rating	← 120V, 60Hz, 5A →					
LP conversion kit (included)	●	●	●	●	●	●

\*SS = Stainless steel with black accents, WW = White with white glass door, CC = Bisque with bisque glass door, BB = Black with black glass door, WH = White with black glass door, CT = Bisque with black glass door. Factory set for Natural Gas. A set of LP orifices is included with each range for LP conversion.

# 30" Continuous- & Standard-Clean Gas Ranges

GE®									
Sealed Burner Models					Standard Burner Models				
JGBS23SEH JGBS23WEH JGBS23CEH JGBS23BEH	JGBS22BEH	JGBS10WEH JGBS10CEH JGBS10BEH	JGBS09PEH	JGBC20WEH JGBC20CEH JGBC20BEH	JGBS20WEH JGBS20BEH	JGBS17PEH	JGBS07PEH	JGBS04BEH JGBS04PPH	
<b>Capacity</b>									
Extra-large 4.8 cu. ft. oven									
<b>Features</b>									
Oven cleaning	Standard-Clean	Standard-Clean	Standard-Clean	Standard-Clean	Cont.-Clean	Standard-Clean	Standard-Clean	Standard-Clean	Standard-Clean
Cooktop burners	Sealed	Sealed	Sealed	Sealed	Std./Twin	Std./Twin	Std./Twin	Std./Twin	Std./Twin
High Output burner (Nat.)	(1) 12,000/ 1,000 BTU								
Precise Simmer burner (Nat.)	(1) 5,000/600 BTU								
All-purpose burners (Nat.)	(2) 9,500/850 BTU	(4) 9,500/850 BTU	(1) 8,000/850 BTU (3) 7,000/850 BTU	(1) 8,000/850 BTU (3) 7,000/850 BTU	(4) 9,100/850 BTU	(4) 9,100/850 BTU	(4) 9,100/850 BTU	(4) 9,100/850 BTU	(4) 9,100/850 BTU
Center oval burner			(1) 6,000/850 BTU	(1) 6,000/850 BTU					
Valves (degree of turn)	270	140	270	270	140	140	140	140	140
Electronic clock and timer	●	●	Clock only		●	●	●		
Porcelain-enameled cooktop	One-Piece Upswept	One-Piece Upswept	●	●	One-Piece Upswept	One-Piece Upswept	One-Piece Upswept	●	●
Lift-up cooktop					●	●	●	●	●
Easy-clean porcelain-enameled subtop					●	●	●	●	●
One-piece drip pans	Black Grey Taupe Black	Opt. Access.			Opt. Access.	Opt. Access.	Opt. Access.	Opt. Access.	Opt. Access.
Removable square grates	Deluxe Porcelain-Steel	Black Standard Porcelain-Steel	Continuous Wire	Continuous Wire	Grey Standard Taupe Standard Black Standard Porcelain-Steel	Grey Standard Black Standard Porcelain-Steel	Black Standard	Grey Standard Taupe Standard Black Standard Porcelain-Steel	Black Standard Porcelain-Steel
Griddle			Non-stick	Non-stick					
Ignition system	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic Pilot†
Oven racks	2	2	2	1	2	2	2	2	2
Six embossed rack positions	●	●	●	●	●	●	●	●	●
Broiler pan	●	●	●		●	●	●	●	●
Porcelain-enameled backguard	●	●	Glass	●	●	●	●	●	●
Interior oven light	●	●	●	●	●	●	●	●	●
Broiler drawer	Slide-out	Slide-out	Drop-down		●	●	●	●	●
<b>Appearance</b>									
Color appearance*	SS WW CC BB	WH/CT	WW CC BB	WW	WW CC WH/CT	WW WH/CT	WH/CT	WW CC BB	WH/CT WW/WH/CT
Frameless oven door	Stainless steel White Glass Bisque Glass Black Glass	Black Glass	White Glass Bisque Glass Black Glass	White Porc-Enam.	White Glass Bisque Glass Black Glass	White Glass Black Glass	CM* Porcelain- Enameled	White Glass Bisque Glass Black Glass Porcelain-Enameled	Black Glass CM* Porcelain- Enameled
Oven door with window	Big ClearView	Big ClearView	ClearView	ClearView	ClearView	ClearView	ClearView	ClearView	ClearView
Designer-style handle	●	●	●	●	●	●	●	●	● / Chrome Visor
<b>Weights &amp; Dimensions</b>									
Overall oven interior dimensions (WxHxD in inches)	← 24 x 18.5 x 19 →								
Approx. shipping weight (lbs.)	180	170	160	160	175	175	175	165	165
<b>Power/Ratings</b>									
Top burners (000's BTU's) Nat/LP	(1) 12.0/11.0 (1) 5.0/5.0 (2) 9.5/9.5	(4) 9.5/9.5	(1) 8.0/8.0 BTU (3) 7.0/7.0 BTU (1) 6.0/6.0 BTU	(1) 8.0/8.0 BTU (3) 7.0/7.0 BTU (1) 6.0/6.0 BTU	← (4) 9.1/8.0 →				
Oven/broiler burners (000's BTU's) Nat/LP	← 18.0/16.5 →								
Gas range electrical rating**	← 120V, 60Hz., 5A →								
LP conversion kit (included)	●	●	●	●	●	●	●	●	●

\*SS = Stainless steel with black accents, WW = White with white door, CC = Bisque with bisque door, BB = Black with black door, WH = White with black door, CT = Bisque with black door, CM = Color-Matched indicates color of oven door matches cooktop (either white or bisque).

\*\*Electrical rating not applicable to standing pilot models.

†JGBS04PPH has a standing pilot ignition.

Factory set for Natural Gas. A set of LP orifices is included with each range for LP conversion.

GE PROFILE™ GAS AND ELECTRIC RANGES

**GE makes the most dependable ranges you can buy!**

*Based on an independent national consumer survey*



GEAppliances.com  
© 2001 General Electric Company  
Pub. No. 3-D431



**Profile™**  
*We bring good things to life.*

Pub. No. 3-D431



**#1**  
**Gas Range**  
Rated by a leading consumer magazine—March 2004  
GE Model JGBP85

Model JGBP85  
Pub. No. 3-D104

GE® Gas and Electric Ranges

**GE makes the most dependable ranges you can buy!**

*Based on an independent national consumer survey*

GEAppliances.com

© 2001 General Electric Company  
Pub. No. 3-D431

**We bring good things to life.**



Pub. No. 3-D431



**BEST BUY**  
**Dual Fuel Range**  
Rated by a leading consumer magazine—March 2004  
GE Profile™ Model J2B915

Model J2B915  
Pub. No. 3-D104



**GE simplifies the Kosher kitchen.**

On Sabbath Mode meets Star-K certification requirements.

Pub. No. 3-D241

Free-standing ranges from GE Profile™ offer the competitive features and elegant design consumers desire.



### Advanced performance

#### Precise cooking results.

- Innovative burner technologies, including Power Boil™ and Precise Simmer, deliver optimal cooktop performance.
- An impressive two speed convection system ensures even and uniform baking and roasting.



### Enhanced versatility

#### Options for every cooking need.

- From boiling water to simmering sauces, a variety of burner sizes make every cooktop operation easy.
- Super-large 5.0 cu. ft. oven capacity with multiple rack positions make cooking more food at one time a convenient option.



### Gracefully redesigned

#### New distinctive design.

- An elegant curved appearance with a sculptured handle, contoured backsplash and stainless steel finish add beauty and style.
- A choice of gas on glass or deep recessed cooktop surfaces, with sealed burners, help contain spills for easy, wipe-away cleaning.



## A Century of Quality and Innovation

For more than a century, GE has been committed to producing innovative products that change the way people live. The result of thorough research and rigorous testing, GE appliances are designed for years of dependable performance. Today, the GE tradition of quality and innovation continues.