

MLRS15MC



72" x 23.38" x 24.38" (H x W x D)

All-refrigerator for breast milk storage with 7 adjustable shelves, with antimicrobial silver-ion handle and hospital grade cord with 'green dot' plug

Highlights:

Ideal for work environments and offices complying with Section 4207 of the Patient Protection and Affordable Care Act

Perfect for employee wellness rooms, daycare centers, and lactation lounges

Powder-coated handle with naturally occurring silver ions to help reduce germ spread

Product Features:

Easy to use	User-friendly design ensures effortless use for mothers and facility managers alike
CDC-compliant temperature	Preset temperature remains within recommended range for mother's milk storage
Antimicrobial silver ion-coated handle	Powder-coated handle with naturally occurring silver ions to help reduce the spread of germs
Adjustable wire shelves	Multiple shelf positions spaced at ½" for improved air circulation and storage
Sealed cabinet design	Allows for unit to be freestanding
Door lock	Added security on the exterior door (2 keys included)
LED display	Allows for easy reading of unit temperature
Power loss alarm	Alerts when unit loses power; NOTE: Alarm is battery-powered and has a limited time to alarm
Door alarm	Sounds if door is left open for more than 3 minutes

MLRS15MC Specifications:

Overview	
Height of Cabinet	72.0" (183 cm)
Width	23.38" (59 cm)
Width with Door Open	23.88" (61 cm)
Depth	24.38" (62 cm)
Depth with Handle	26.13" (66 cm)
Depth with door at 90°	46.5" (118 cm)
Capacity	15.0 cu.ft. (425 L)
Defrost Type	Automatic
Door	White
Cabinet	White
US Electrical Safety	ETL
Canadian Electrical Safety	ETL-C
Amps	1.4
Voltage/Frequency	115 V AC/60 Hz
Weight	200.0 lbs. (91 kg)
Shipping Weight	243.0 lbs. (110 kg)
Parts & Labor Warranty	2 Years
Compressor Warranty	5 Years
UPC	761101066455
Refrigerator Features	
Door Swing	RHD
Reversible	No
Shelf Type	Wire
Shelf Qty	7
Adjustable Shelves	Yes
Thermostat Type	Digital
Fan Type	Interior
Refrigerant Type	R600a
Refrigerant Amount	2.65oz.
Interior Light	Yes
Temperature Range	33 to 40°F
Sound Level	37.5 dB
Dimensions	
Interior Height	63.25" (161 cm)
Interior Width	20.0" (51 cm)
Interior Depth	17.0" (43 cm)
Compressor Step Height	6.5" (17 cm)

Compressor Step Width	20.0" (51 cm)
Compressor Step Depth	5.0" (13 cm)



