

Dishwasher, 24", Stainless steel SHP65TL5UC



- **PrecisionWash®:** uses Intelligent sensors to monitor the wash water and automatically adjust the cycle for a smarter clean.
- **10 years warranty:** our promise against rust-through.
- **24h Delay Start Timer** lets you run your dishwasher at off-peak times.
- **Standard 3rd Rack:** provides a convenient top rack for your utensils, giving the other racks more space for dishes.

Number of Options: 5
 Number of options: 5
 3rd rack: Standard 3rd rack
 Tub Material: Stainless Steel
 Concealed heating element: Yes
 Five-level wash: Yes
 Water Softener: No
 ChildLock: No
 Total Annual Energy Consumption: 259 kWh
 Energy Efficiency Class: Tier 1
 ENERGY STAR®: Yes
 Total Annual Water Consumption: 624 gal
 Number of Place Settings: 15



4 242002 749235

SGZ1010UC Drain hose extension kit
 SMZ5000 Dishwashing aid set
 SMZPC002UC Powercord with cold plug

Dishwasher, 24", Stainless steel SHP65TL5UC

Key Features

- 44 dBA- Quietest Dishwasher Brand.
- 3rd Rack for Additional Loading Capacity
- InfoLight® Beams on Floor to Indicate Dishwasher is Running
- RackMatic® on Upper Rack - 3 Height Adjustments and Up to 9 Possible Rack Positions
- AquaStop® Leak Protection Works 24/7

Design

- Full Size Stainless Steel Tall Tub Installs Perfectly Flush
- 16 Place Setting Capacity
- LED Remaining Time Display
- Flexible Silverware Basket Can be Split into Two Pieces and Placed Anywhere for Added Flexibility

Performance

- 5 Programs and 6 options
- Detergent Tray Optimizes Detergent Dissolving
- Load Size Sensor Automates Wash Temperature
- Sanitize Option Eliminates Bacteria and Enhances Drying Results
- ExtraShine™ Option Enhances Shine and Drying Results of your Dishes


Efficiency

- 259 kWh/yr - Energy Star®

Convenience

- 24 h Delay Start Timer
- Self-Latching Door
- Express Wash - In 30 Minutes or Less
- SpeedPerfect™ Option Reduces Cycle Time while Maintaining Cleaning Performance

Dishwasher, 24", Stainless steel SHP65TL5UC



measurements in inches (mm)